
THINKING DIFFERENTLY

ChamferedSASH

Contemporary PVCu Casement Window



ChamferedSASH


Standard	Optional	Optional	Standard	Optional
Chamfered Bead	**Sculptured** Bead	**Triple Glazed** Bead	**Double** Glazed	**Triple** Glazed

sciwindows.co.uk


WINDOW HARDWARE




Offset




Contemporary
Tear Drop



Contemporary
Monkey Tail



Traditional
Tear Drop



Traditional
Monkey Tail

Offset
Casement Fastener
Window Handle


White


Black


Chrome


Gold


Graphite


Antique Black


Satin


Bronze


Anthracite Grey

Contemporary
Teardrop and
Monkey Tail Handle


Antique Black


Chrome


Gold


Graphite

Traditional
Teardrop and
Monkey Tail Handle


Black


Chrome


Gold


Graphite


Satin


Antique Bronze


Pewter Patina

FINISHES


Anteak


Golden Oak


Black

Cream


Irish Oak


Extended foil range


Agate Grey


Silver Grey


Basalt Grey


Chartwell Green


Blue 5011


RAL, BS or Farrow & Ball

A wide range of grained or smooth foils are available, either for the xterior of the window, the interior or both. In addition to this, we can offer a molecular-bonded spray finish using colours from BS, RAL or Farrow & Ball.


KEY FEATURES


A range of key-lockable handles in offset, monkey tail and teardrop designs.


Friction stays for smooth and reliable operation all year round.


Window keeps with dual slots enabling a lockable 'slightly-ajar' ventilation position.

Close-up of fusion-welded sash corner and mid-rail overlap.



Fusion-welded frame

Optional hinge bolts for enhanced security

ChamferedSASH profile uses a chamfered moulding around the edges of the profile for a sleeker, more modern appearance.

Ultra-low profile, co-extruded glazing gasket is almost invisible

Adjustable friction stays for top-hung windows. Easy-clean, fire escape stays for side-hung.

Push-button, key lockable handles, available in a choice of colours

High security, multi-point locking system using roller-cam bolts, shoot-bolts and dual-slot keeps that enable a lockable night ventilation position

Polished finish reduces maintenance and retains a cleaner look for longer, helping resist airborne pollutants and moulds

A choice of either black, white or grey, warm edge spacer bar

High-impact modified PVCu prevents cracking with age or extreme cold

Internally glazed for enhanced security

Double-glazed unit uses clear energy glass, to achieve maximum amounts of light, and an **'A' WER / 1.4 U-Value**. Triple-glazed 36mm units can achieve an **'A+' / 0.9 U-Value**.



Extending shootbolts form another part of the multi-point locking system.



Pull-in blocks ensure tight compression of the sash gaskets against the frame.



Expanding 'mushroom bolts' form another part of the multi-point locking system.



Hinge guards protect the hinged side of the opening sash for true multi-point locking

KEY FEATURES Standard Specification





The ChamferedSASH casement window offers a sleek, contemporary style suited to modern and traditional properties alike.

The outer frame, sash and glazing beads are interchangeable to achieve an individual style.

TRIPLE GLAZING

Also available with a triple-glazed sealed unit

100% LEAD FREE

Our PVCu is ompletely free of poisonous lead stabilisers

ENERGY EFFICIENCY*

ChamferedSASH is one of the best performing products on the market, taking full advantage of the increased thermal efficiency offered by its six chamber profile.



DOUBLE GLAZED **U-VALUE***



TRIPLE GLAZED **U-VALUE***



DOUBLE GLAZED **WER***




TRIPLE GLAZED **WER***

*Subject to specification

GLAZING BEAD

Matching chamfered glazing bead fitted as standard with the option of a sculptured glazing bead for contrast..



OUTER FRAME

Six insulating chambers are created in the sculptured and chamfered outer frames. You can opt for a contrasting sculptured outer frame with chamfered sashes for a truly bespoke product.

LOW LEVEL GASKETS

The co-extruded gaskets are barely visible as they don't extend above the level of the sash. Being co-extruded means that they won't shrink either.

HM Government
BUILDING REGULATIONS
Document L
COMPLIANT

HM Government
BUILDING REGULATIONS
Document F
COMPLIANT

BFRC

MADE IN BRITAIN

In our ongoing quest to provide the highest quality products for our customers, our designs and specifications are subject to change without notice.